

SUBJECT INDEX

- Acid drainage from mine waste 1
- Acidification, of soil 173, 1093
- Acidification, of surface waters 1093
- Acid mine drainage 1015, 1063
 - Fe²⁺ oxidation rates 531
 - treatment of 581
- Actinides
 - in colloids from nuclear waste glass 635
 - partitioning into calcite 433
- Ag
 - in alluvium 1015
 - in lake water 787
 - in river water 1015
 - in tailings 1015
- Al
 - behaviour during weathering of till 761
 - extractable, in podsols 707
 - in acid drainage from mine waste 1
 - in acid mine drainage 581
 - in aerosols 423
 - in incinerator ash 159
 - in lake water 787
 - in limestone crusts from treatment of acid mine drainage 581
 - in marine sediments 689
 - in pit lake water 669, 963
 - in suspended sediment from freshwater 301
 - phases, in podsols, S. Sweden 707
- Alabama, U.S.A. 147
- Albigeois, Massif Central, France 447
- Almeria, Spain 735
- Altiplano, the, Chile 411
- Alluvium, contamination from metal mining 1015
- Am
 - adsorption on dolomite 569
 - partitioning into calcite 433
- Analysis, of suspended sediment from freshwater 301
- Ankara, Turkey 1001
- Antalya, Turkey 1001
- Appalachian Piedmont mining district, U.S.A. 147
- Ar, in groundwater 91
- ⁴⁰Ar in groundwater 91, 1001
- As
 - as Au pathfinder 133

- geochemistry at contaminated site 1031
 - in alluvium 1015
 - in evaporites 53
 - in groundwater 53, 67
 - in lake sediment 53
 - in lake water 787
 - in pit lake water 669, 963
 - in river water 1015
 - in rocks of mineralised areas 669
 - in secondary phases at contaminated site 1031
 - in soil 187
 - in surface runoff 1031
 - in tailings 485, 1015
 - in tailings water 485
 - release during oxidation of mackinawite 277
- Äspö Hard Rock Laboratory, SE Sweden 817, 819, 835, 835, 861, 873, 893, 907, 917, 927, 939, 953
- Atik Cu mine, N. Sweden 1
- Au, mines,
 - Gubong, Korea 621
 - Macraes, S. Island, New Zealand 485
 - Nevada 669, 963
 - U.S.A. 147
- Australia
 - Mindurah, W. Australia 41
 - Perth, W. Australia 41
- B
 - in calcrete 775
 - in groundwater 333, 735
 - in irrigation water, damage to crops 735
 - in lake water 787
 - use of, to identify sources of salinity in groundwater 735
- ¹¹B, in groundwater 91
- Ba
 - behaviour during weathering of till 761
 - in calcrete 775
 - in groundwater 67, 333
 - in lake water 787
 - in pit lake water 963
 - in tailings, pore water 747
 - in thermal water 223
- Baltic Sea 819, 835, 873, 917, 939
- Be, in lake water 787
- Bell Beaker people, mobility of 263, 271

- Bemidji, Minnesota, U.S.A. 655
- Bergen, Norway 27
- Berkshire Basin, England, U.K. 333
- Bi, in lake water 787
- Black Forest, Germany 237
- Bohaiwan Basin, China 547
- Book Review
 - Arsenic exposure and health effects 409
 - Environmental geochemical atlas of the Central Barents Region 544
 - Geomicrobiology: Interactions between microbes and minerals 543
- Br
 - in groundwater 67, 91, 333, 917
 - in lake water 787
 - in thermal water 223
- Brazil, Lagoa Real 197
- C
 - in estuarine sediments 41
 - in freshwater sediments 41
 - organic in hydrothermally altered sediments 499
- ¹³C
 - in calcite 953
 - in calcrete 775
 - in CH₄ 119, 607
 - in groundwater 91, 333, 927, 1001
- ¹⁴C
 - in CH₄ 119
 - in groundwater 119, 333, 893, 927, 1001
- Ca
 - adsorption on dolomite 569
 - behaviour during weathering of till 761
 - in acid drainage from mine waste 1
 - in acid mine drainage 581
 - in aerosols 423
 - in evaporites 53
 - in groundwater 53, 67, 91, 283, 735, 835, 873, 893, 927, 1001
 - in incinerator ash 159
 - in lake sediments 53
 - in lake water 787
 - in limestone crusts from treatment of acid mine drainage 581
 - in mineral water 237
 - in pit lake water 669, 963
 - in suspended sediment from freshwater 301
 - in tailings water 485
 - in tailings, pore water 747

- in thermal water 223, 237
- CaCO₃, precipitation from brine 17
- Cairngorm Mountains, N.E. Scotland 387
- Calcite, fracture fillings as paleohydrologic indicators 953
- Calcrete, as a paleoclimate indicator 775
- California, U.S.A. 53, 387
- Canada
 - North West Territories 607
 - Ontario 719
 - Yukon 775
- Carlin-type mineralisation 669
- Carlsbad, New Mexico, U.S.A. 569
- Carmenellis, Cornwall, England, U.K. 67
- Cd
 - in aerosols 423
 - in groundwater 67
 - in incinerator ash 159
 - in incinerator ash leachate 159
 - in lake water 787
 - in marine sediments 689
 - in mine waste 621
 - in pit lake water 669, 963
 - in rain water 423
 - in soil 187, 621
 - in stream sediment 621
 - in tailings, pore water 747
 - release during oxidation of mackinawite 277
- Ce
 - in groundwater 27
 - in river sediment 1063
 - in river water 1063
- CFCs, in groundwater 1001
- CH₄, at hazardous waste site 119
- C₂H₆, at hazardous waste site 119
- Chardon mine, Massif Amoricain, France 67
- CH₃Hg, in surface water 395
- Chile, the Altiplano 411
- China
 - Bohaiwan Basin 547
 - North Jingsu Basin 547
 - Songliao Basin 547
- Chlorophenols, solubility in water 319
 - Pentachlorophenol 319
 - 2,4,6,-trichlorophenol 319

Cl

- in evaporites 53
- in groundwater 53, 67, 91, 283, 333, 735, 835, 893, 917, 927
- in incinerator ash 159
- in lake sediments 53
- in lake water 787
- in mineral water 237
- in pit lake water 669
- in pore water, salt marsh 559
- in river water 1015, 1063
- in tailings water 485
- in thermal water 223, 237

³⁶Cl, in groundwater 91, 917

³⁷Cl/³⁶Cl, in groundwater 91

Cm, partitioning into calcite 433

Co

- behaviour during weathering of till 761
- in acid mine drainage 581
- in groundwater 67
- in lake water 787
- in marine sediments 689
- in pit lake water 669
- in tailings, pore water 747

CO₂

- in groundwater 1001
- in mineral water 237
- in thermal water 223, 237

Coal mine drainage

- Fe²⁺ oxidation in 511
- treatment 511

Colloidal transport, of contaminants 635

Comstock mining district, Nevada, U.S.A. 147

Cook County, Illinois, U.S.A. 119

Cornwall, England, U.K. 67

Cr

- behaviour during weathering of till 761
- in aerosols 423
- in calcrete 775
- in groundwater 283, 989
- in lake water 787
- in marine sediments 689
- in rain water 423
- in river sediment 459

Critical comment 263

Critical load 173, 1093

CrO_4^{2-} , in groundwater, remediation of 989

Cs

in groundwater 67

partitioning into calcite 433

^{137}Cs , for dating salt marsh sediments 559

Cu

behaviour during weathering of till 761

in acid drainage from mine waste 1

in acid mine drainage 581

in alluvium 1015

in calcrete 775

in groundwater 67, 283

in incinerator ash 159

in incinerator ash leachate 159

in lake water 787

in limestone crusts from treatment of acid mine drainage 581

in marine sediments 689

in pit lake water 669, 963

in river sediment 459

in river water 1015

in tailings 1015

release during oxidation of mackinawite 277

Delaware, U.S.A. 559

Diagenesis, of salt marsh sediments 559

Dy

in groundwater 27

in river sediment 1063

in river water 1063

Elizabeth City, N. Carolina, U.S.A. 989

England

Berkshire Basin 333

Cornwall 67

London Basin 333

Er

in groundwater 27

in river sediment 1063

in river water 1063

Erratum 1101

Eu

in groundwater 27

in river sediment 1063

in river water 1063

Everglades, Florida, U.S.A. 395

F

- in evaporites 53
- in groundwater 53, 67, 333
- in lake sediments 53
- in lake water 787
- in pit lake water 963
- in thermal water 223

Fe

- behaviour during weathering of till 761
- in acid drainage from mine waste 1
- in acid mine drainage 581
- in aerosols 423
- in alluvium 1015
- in calcrete 775
- in coal mine drainage 511
- in evaporites 53
- in estuarine sediments 41
- in freshwater sediments 41
- in groundwater 67, 283, 333, 927
- in incinerator ash 159
- in lake water 787
- in limestone crusts from treatment of acid mine drainage 581
- in marine sediments 689
- in mineral water 237
- in peat 707
- in pit lake water 669, 963
- in pore water, peat 707
- in pore water, salt marsh 559
- in river sediment 1063
- in river water 1015, 1063
- in surface water 707
- in suspended sediment from freshwater 301
- in tailings 485, 1015
- in tailings pore water 747
- in tailings, water 485
- in thermal water 223, 237
- reduction during hydrocarbon degradation in aquifer 655

Filtration, field technique 301

Florida, U.S.A. 395

Fluid inclusions, composition of 447

France

- Massif Armoricain 67
- Massif Central 447
- Marseille 1031

- Galicia, Spain 133
- Gd
 - in groundwater 27
 - in river sediment 1063
 - in river water 1063
- Ge, in groundwater 67
- Geochemical equilibrium
 - uncertainty calculations 255
 - Monte Carlo simulation 255
- Geochemical exploration, for Au 133
- Geochemical mixing, estimation of proportions 85
- Geochemical modelling
 - of CaCO_3 precipitation from brines 17
 - of Fe^{2+} oxidation rate 511
 - of groundwater flow and recharge 873, 893
 - of groundwater mass balance 893
 - of groundwater mixing and water/rock interaction 835, 861
 - of mixture components 85
 - of pit lake water 963
 - of weathering rate using PROFILE 173, 387
 - thermodynamic, of groundwaters 907
- Geo-Index, for evaluation of river sediment pollution 807
- Georgia, U.S.A. 147
- Geostatistics, in geochemical exploration 133
- Germany
 - Black Forest 237
 - Rhine Valley 223
- Groundwater
 - anoxic, microbial activity 873
 - As in 53
 - contamination with CrO_4^{2-} , remediation of 989
 - contamination with hydrocarbons 655
 - dating 333
 - evolution of 333, 735, 835, 893
 - F in 53
 - flow, simulation of 893
 - karstified, flow components of 1001
 - mass-balance calculations 893
 - mineral 237
 - noble gases in 333
 - paleowaters in 333
 - radioactivity in 283
 - rare earth elements in 27
 - saline 67, 91, 237, 735, 819, 835, 917, 939, 953

- salinization of 735
- thermal 237
 - evolution of 221
- thermodynamic modelling of 907
- trichloroethane in 531
- Guaymas Basin, Gulf of California, Mexico 499
- Gubong Au mine, Korea, 621
- ^2H
 - in fluid inclusions 447
 - in groundwater 91, 333, 835, 873, 917, 1001
 - in rain water 411, 1001
- ^3H
 - in CH_4 119
 - in groundwater 91, 119, 283, 835, 873, 927, 1001
 - in rain water 411, 1001
- HCO_3^-
 - in groundwater 91, 333, 735, 835, 873, 893, 927, 1001
 - in mineral water 237
 - in pore water, salt marsh 559
 - in tailings water 485
 - in thermal water 223, 237
- He, in groundwater 91, 333, 1001
- $^3\text{He}/^4\text{He}$, in groundwater 91, 1001
- Heavy metals, in marine sediments 689
- Hg
 - contamination, due to Au mining 147
 - in surface water 147, 395
 - organically bound 395
 - release during oxidation of mackinawite 277
 - sorption on Fe oxyhydroxide 147
- Ho
 - in groundwater 27
 - in river sediment 1063
 - in river water 1063
- HPO_3^{2-} , in pore water, salt marsh 559
- HS^- , in pore water, salt marsh 559
- Hunstville, Ontario, Canada 719
- Hydrocarbons
 - contamination in aquifer 655
 - generation by volcanics 547
 - hydrothermal 499
 - in oil shales, genesis of 1049
 - maturation of 1049
 - in permafrost, genesis of 607

- in rift basins, China 547
- Hydrothermal alteration, of sediments 499
- I, in groundwater 333
- Illinois, U.S.A. 119, 365, 459
- Isotopes
 - Ar 91, 1001
 - B 91
 - C 91, 119, 333, 607, 775, 893, 927, 953, 1001
 - Cl 91, 917
 - Cs 559
 - H 91, 119, 333, 411, 447, 835, 861, 917, 1001
 - He 91, 1001
 - O 67, 91, 119, 333, 411, 447, 775, 835, 861, 917, 927, 953, 1001
 - Pb 197, 559
 - Ra 91, 333
 - S 67, 91, 893
 - Sr 91, 263, 271, 939, 953
 - Th 775
 - U 91, 333, 775
- Israel, Sea of Galilee 91
- Italy, Sardinia 423
- K
 - behaviour during weathering of till 761
 - in acid drainage from mine waste 1
 - in aerosols 423
 - in evaporites 53
 - in groundwater 53, 67, 91, 283, 333, 735, 835
 - in incinerator ash 159
 - in lake sediments 53
 - in lake water 787
 - in mineral water 237
 - in suspended sediment from freshwater 301
 - in tailings water 485
 - in thermal water 223, 237
- Kalix River, N. Sweden 301, 761
- Kaskaskia River Basin, Illinois, U.S.A. 459
- Kategat 689
- Kola Peninsula, Russia 173, 787
- Korea, Gubong mine 621
- Kr, in groundwater 91
- Kriging in geochemical exploration 133

La

- behaviour during weathering of till 761
- in groundwater 27
- in river sediment 1063
- in river water 1063

Lagoa Real, Brazil 197

Li

- in calcrete 775
- in evaporites 53
- in groundwater 53, 67, 333, 735
- in lake sediments 53
- in lake water 787
- in thermal water 223
- use of, to identify sources of salinity in groundwater 735

Lochaber, Scotland, U.K. 1093

London Basin, England, U.K. 333

Los Alamos, New Mexico 635

Lu

- in groundwater 27
- in river sediment 1063
- in river water 1063

Marbella, Spain 283

Mackenzie Delta, North West Territories, Canada 607

Mackinawite, oxidation of 277

Macraes Au mine, S. Island, New Zealand 485

Massif Central, France 447

Mandurah, W. Australia 41

Marseille, France 1031

Mediterranean Sea 1001

Mexico, Gyamas Basin, Gulf of California 499

Mg

- adsorption on dolomite 569
- behaviour during weathering of till 761
- in acid drainage from mine waste 1
- in acid mine drainage 581
- in aerosols 423
- in calcrete 775
- in evaporites 53
- in groundwater 53, 67, 91, 283, 333, 735, 835, 927
- in incinerator ash 159
- in lake sediment 53
- in lake water 787
- in mineral water 237
- in suspended sediment from freshwater 301

- in tailings pore water 747
- in tailings, water 485
- in thermal water 223, 237
- Mineralisation
 - Ag 669
 - Au 133, 485, 621, 669
 - Carlin-type 669
 - Cu 669, 1015
 - Fluorite, source of 447
 - Mo 669
 - Porphyry Cu/Mo 669
 - Pyrite 1015
 - Quartz-Adularia/Alunite precious metal 669
 - U 197
- Mining, environmental contamination from 147, 187, 621, 1015
- Minnesota, U.S.A. 655
- Mn
 - behaviour during weathering of till 761
 - in acid mine drainage 581
 - in alluvium 1015
 - in calcrete 775
 - in colloids from nuclear waste glass 635
 - in groundwater 67, 283
 - in incinerator ash 159
 - in lake water 787
 - in limestone crusts from treatment of acid mine drainage 581
 - in marine sediments 689
 - in mineral water 237
 - in peat 707
 - in pit lake water 669, 963
 - in pore waters, peat 707
 - in surface water 707
 - in suspended sediment from freshwater 301
 - in tailings 1015
 - in tailings, pore water 747
- Mo
 - in incinerator ash 159
 - in incinerator ash leachate 159
 - in lake water 787
 - in marine sediments 689
- Monchegorsk, Kola Peninsula, Russia 787
- Multivariate statistical analysis
 - to describe spatial distribution of metals in marine sediments 689
 - to discriminate sources of aerosols 423
 - to model groundwater mixing and water/rock interaction 861

Municipal solid waste 159, 1073

combustion ash chemistry 1073

petrogenesis 1073

N, in hydrothermally altered sediments 499

Na

behaviour during weathering of till 761

in acid drainage from mine waste 1

in acid mine drainage 581

in aerosols 423

in evaporites 53

in groundwater 53, 67, 91, 283, 333, 735, 835, 873, 893, 927

in incinerator ash 159

in lake sediments 53

in lake water 787

in mineral water 237

in river water, an index of susceptibility to acidification 1093

in suspended sediment from freshwater 301

in tailings water 485

in thermal water 223, 237

Nb, behaviour during weathering of till 761

Nd

adsorption on dolomite 569

in groundwater 27

in river sediment 1063

in river water 1063

Ne, in groundwater 91

Nevada, U.S.A. 147, 635, 669, 963

New Mexico, U.S.A. 569, 635

New York State, U.S.A. 365

New Zealand, Macraes mine, S. Island 485

NH₄⁺

in pore water, salt marsh 559

in thermal water 223

Ni

behaviour during weathering of till 761

contamination from smelter 787

in acid mine drainage 581

in groundwater 67, 283

in lake water 787

in limestone crusts from treatment of acid mine drainage 581

in marine sediments 689

in pit lake water 669

in river sediment 459

in tailings, pore water 747

- partitioning into calcite 433
- Nikel, Kola Peninsula, Russia 173, 787
- NO_3^-
 - in groundwater 333, 735
 - in lake water 787
 - in thermal water 223
- North Carolina, U.S.A. 147, 365, 989
- North Jingsu Basin, China 547
- North West Territories, Canada 607
- Norway
 - Bergen 27
 - Russian border region 173
 - Trondelag 27
 - Vestfold (Oslo) 27
- Np
 - adsorption on dolomite 569
 - partitioning into calcite 433
- Nuclear waste glass
 - colloid formation in 635
 - leaching of 635
- O_2
 - in groundwater 333
 - in tailings, pore water 747
- ^{18}O
 - in calcite 953
 - in calcrete 775
 - in fluid inclusions 447
 - in groundwater 67, 91, 119, 333, 917, 927, 1001
 - in rain water 411, 1001
 - in quartz 447
- Oil shales, genesis of hydrocarbons in 1049
- Ontario, Canada 719
- Owens Lake, California, U.S.A. 53
- P
 - behaviour during weathering of till 761
 - in calcrete 775
 - in hydrothermally altered sediments 499
 - in incinerator ash 159
 - in lake water 787
 - in suspended sediment from freshwater 301
- Pa, partitioning into calcite 433
- Pb
 - in aerosols 423

- in alluvium 1015
- in groundwater 283
- in incinerator ash 159
- in incinerator ash leachate 159
- in lake water 787
- in limestone crusts from treatment of acid mine drainage 581
- in marine sediments 689
- in mine waste 621
- in pit lake water 963
- in rain water 423
- in river/stream sediment 459, 621
- in river water 1015
- in soil 187, 621
- in tailings 1015
- in tailings, pore water 747
- $^{206}\text{Pb}/^{204}\text{Pb}$
 - in calc-alkaline volcanics 197
 - in carbonates 197
 - in granites 197
 - in orthogneisses 197
 - to calculate mobility of U 197
- $^{207}\text{Pb}/^{204}\text{Pb}$
 - in calc-alkaline volcanics 197
 - in carbonates 197
 - in granites 197
 - in orthogneisses 197
 - to calculate mobility of U 197
- $^{208}\text{Pb}/^{204}\text{Pb}$
 - in calc-alkaline volcanics 197
 - in carbonates 197
 - in granites 197
 - in orthogneisses 197
 - to calculate mobility of Th 197
- ^{210}Pb , for dating salt marsh sediments 559
- Pennsylvania, U.S.A. 365, 511, 581
- Perth, W. Australia 41
- Pit lakes
 - geochemistry of 963
 - solubility controls in 963
 - water quality 669
- PO_4 , in thermal water 228
- Poland, Upper Silesia 187
- Porphyry Cu/Mo mineralisation 669
- Porewater
 - from peat 719

- from salt marsh 559
 - from tailings 485
- Pr, in groundwater 27
- Preface 817
- Pu
 - adsorption on dolomite 569
 - partitioning into calcite 433
- Puertollano, Spain 1049
- Quartz Adularia/Alunite precious metal mineralisation 669
- Ra
 - concentration into organic matter in soils 365
 - in soil 365
 - in vegetation 365
 - partitioning into calcite 433
- ²²⁶Ra, in groundwater 91, 333
- ²²⁸Ra, in groundwater 91, 333
- Radioactive waste disposal 817, 819, 873, 893
 - natural analogue 197
 - transport of radionuclides from 433, 569, 635
- Radionuclides, coprecipitation with calcite 433
- Rare Earth Elements, in groundwater 27
- Rb
 - behaviour during weathering of till 761
 - in groundwater 67
 - in lake water 787
- Reply to critical comment 271
- Review 963
- Rhine Valley, Germany 223
- Rio Odiel, SW Spain 1063
- Rio Tinto, SW. Spain 1015, 1063
- River Dee, Scotland. U.K. 1093
- River Oykel, Scotland. U.K. 1093
- River sediments, to evaluate pollution 807
- River Spey, Scotland. U.K. 1093
- River Tay, Scotland. U.K. 1093
- Rn
 - in groundwater 333
 - potential hazard 365
- Russia
 - Kola Peninsula 173, 787
 - Norwegian border region 173

S

- deposition 173
- in calcrete 775
- in estuarine sediments 41
- in freshwater sediments 41
- in incinerator ash 159
- in lake water 787
- in suspended sediment from freshwater 301
- in tailings, pore water 747

³⁴S, in groundwater 67, 91, 893

Sampling, of fine grained river sediment 807

Sardinia, Italy 423

Sb, in lake water 787

Sc, behaviour during weathering of till 761

Scotland

- Cairngorm Mountains 387
- River Dee 1093
- River Oykel 1093
- River Spey 1093
- River Tay 1093

Se

- in lake water 787
- in pit lake water 669, 963

Sea of Galilee, Israel 91

Si

- behaviour during weathering of till 761
- extractable, in podsols 707
- in acid drainage from mine waste 1
- in aerosols 423
- in evaporites 53
- in groundwater 53
- in incinerator ash 159
- in lake sediments 53
- in lake water 787
- in tailings, pore water 747
- in suspended sediment from freshwater 301

Sierra Blanca, Spain 283

Sierra Mijas, Spain 283

SiO₂

- in acid mine drainage 581
- in groundwater 67, 283
- in thermal water 223

Skagerrak 689

Sm

- in groundwater 27

- in river sediment 1063
 - in river water 1063
- Smelting, environmental contamination from 173, 187, 787
- SO₂,
 - emission from smelters 787
 - soil acidification by 173
- SO₄
 - in acid drainage from mine waste 1
 - in acid mine drainage 581
 - in evaporites 53
 - in groundwater 53, 67, 91, 283, 333, 735, 835, 873, 893
 - in lake sediment 53
 - in lake water 787
 - in mineral water 237
 - in pit lake water 669, 963
 - in river water 1015, 1063
 - in salt marsh 559
 - in tailings water 485
 - in thermal water 223, 237
 - reduction in estuarine sediments 41
- Songliao Basin, China 547
- Spain
 - Almeria 735
 - La Coruna Province, Galicia 133
 - Marbella 283
 - Puertollano 1049
 - Rio Odiel 1063
 - Rio Tinto 1015, 1063
 - Sierra Blanca 283
 - Sierra Mijas 283
- Sr
 - behaviour during weathering of till 761
 - in acid mine drainage 581
 - in calcrete 761
 - in groundwater 67, 283, 333, 939
 - in lake water 787
 - in pit lake water 669, 963
 - in tailings, pore water 747
 - in thermal water 223
- ⁸⁷Sr
 - in bones 263, 271
 - in calcite 953
 - in groundwater 91, 939
 - in sea water 939
 - in teeth 263, 271

Stekenjokk, Vasterbotten County, Sweden 747

Sweden, 689, 707

Äspö Hard Rock Laboratory 817, 819, 835, 835, 861, 873, 893, 907, 917, 927, 939, 953

Kalix River 301, 761

Vasterbotten County, 747

Tailings

remediation of 747

oxidation of 485, 747

pore water chemistry of 747

water chemistry of 485

Taurus Mountains, Turkey 1001

Tb

in groundwater 27

in river sediment 1063

in river water 1063

Tennessee, U.S.A. 365

Th

in carbonates 197

in calc-alkaline volcanic rocks 197

in granite 197

in lake water 787

in orthogneisses 197

in soil 365

in vegetation 365

partitioning into calcite 433

²³⁰Th, in calcrete 775

Thiobacillus ferrooxidans in Fe²⁺ oxidation 511

Ti

behaviour during weathering of till 761

in suspended sediment from freshwater 301

Tl, in lake water 787

Tm

in groundwater 27

in river sediment 1063

in river water 1063

Trichloroethane

aqueous oxidation of 531

in groundwater 531

Turkey

Ankara 1001

Antalya 1001

Taurus Mountains 1001

U

- adsorption on dolomite 569
- in carbonates 197
- in calc-alkaline volcanic rocks 197
- in colloids from nuclear waste glass 635
- in granite 197
- in groundwater 67, 333
- in lake water 787
- in orthogneisses 197
- in soil 365
- in vegetation 365
- partitioning into calcite 433
- $^{234}\text{U}/^{238}\text{U}$, in groundwater 333
- in calcrete 775
- United Kingdom
 - England 67, 333
 - Scotland 387, 1093
- Upper Silesia, Poland 187
- Urban contamination, of river sediment 459
- U.S.A.
 - Alabama 147
 - California 53, 387
 - Delaware 568
 - Florida 395
 - Georgia 147
 - Illinois 119, 365, 459
 - Minnesota 655
 - New Mexico 569, 635
 - New York State 365
 - Nevada 147, 635, 669, 963
 - North Carolina 147, 365, 989
 - Pennsylvania 365, 511, 581
 - Tennessee 365

V

- behaviour during weathering of till 761
- in lake water 787
- Vestfold, Oslo, Norway 27
- Water-rock interaction
 - at Äspö Hard Rock Laboratory 835, 861, 893, 939
 - in crystalline basement 254
 - in chalk 333
 - in granite 67
 - in marble 283

Weathering

- calculation of rate 173, 387
- of mine waste 1
- of incinerator ash 159
- rates of, in granite till 761

Xe, in groundwater 91

Y

- behaviour during weathering of till 761
- in groundwater 27

Yb

- behaviour during weathering of till 761
- in groundwater 27
- in river sediment 1063
- in river water 1063

Yucca Mountain, Nevada, U.S.A. 635

Yukon, Canada 775

Zapoljarnij, Kola Peninsula, Russia 173, 787

Zn

- behaviour during weathering of till 761
- in acid drainage from mine waste 1
- in acid mine drainage 581
- in aerosols 423
- in alluvium 1015
- in calcrete 775
- in groundwater 283
- in incinerator ash 159
- in incinerator ash leachate 159
- in lake water 787
- in limestone crusts from treatment of acid mine drainage 581
- in marine sediments 689
- in mine waste 621
- in peat 707
- in pit lake water 669, 963
- in pore waters, peat 707
- in rain water 423
- in river/stream sediment 459, 621
- in river water 1015
- in soil 187, 621
- in surface water 707
- in tailings 1015
- in tailings, pore water 747
- release during oxidation of mackinawite 277

sorption by oxyhydroxides of Fe and Mn 719
Zr, in river sediment 459

AUTHOR INDEX
(Book Review-BR; Erratum-E)

- | | |
|--------------------------|---------------------------|
| Aamlid D. 173 | Cozzarelli I. M. 655 |
| Aines R. D. 531 | Craw D. 485 |
| Andreo B. 283 | Cravotta C. A. III 581 |
| Andrews J. N. 333 | Cresser |
| Aranyossy J.-F. 907, 917 | Curti E. 433 |
| Aravena R. 411 | Dallimore S. R. 607 |
| Babinski M. 197 | Danielsson Å. 689 |
| Bacon J. R. 621 | de Caritat P. 787 |
| Bain D. C. 621 | de Kersabeck A. M. 1031 |
| Banks D. 27, 787 | de la Lanza-Espino G. 499 |
| Banwart S. A. 1, 873 | Dibley M. J. 531 |
| Barbosa J. S. F. 197 | Dobos R. R. 365 |
| Bates J. K. 635 | Donald R. 511, 1101 (E) |
| Beaucaire C. 67, 907 | Dupuy C. 1063 |
| Bein A. 91 | Eary L. E. 963 |
| Bendall-Young L. 719 | Edmunds W. M. 333 |
| Benedetti M. 1031 | Edwards A. C. 1093 |
| Bergelson G. 91 | Eighmy T. T. 1073 |
| Bernard P. 1049 | Elbaz-Poulichet F. 1063 |
| Bhattacharya P. 707 | Elias E. A. 1093 |
| Billett M. F. 1093 | Elliot T. 333 |
| Blanco C. G. 1049 | Erickson T. A. 53 |
| Bonzongo J.-C. J. 147 | Esposito K. J. 53 |
| Borrego A. G. 1049 | Eusden J. D. 1073 |
| Boyce A. J. 447 | Fallick A. E. 447 |
| Brady P. V. 569 | Farmer J. G. 409 (BR) |
| Bucher K. 223, 237 | Fein J. B. 319 |
| Buck E. C. 635 | Ferrier R. 1093 |
| Cabaniss S. E. 255 | Fuenzalida H. 411 |
| Cai Y. 395 | Fuge R. 544 (BR) |
| Cahill R. A. 459 | Gassama N. 67 |
| Calaforra J. M. 735 | Gerritse R. G. 41 |
| Calas G. 1031 | Greeman D. J. 365 |
| Carman R. 689 | Grilli A. 411 |
| Carrasco F. 283 | Grupe G. 271 |
| Cato I. 689 | Guerzoni S. 423 |
| Chappell D. 485 | Günay G. 1001 |
| Chica-Olmo M. 133 | Gustafsson E. 873, 927 |
| Church T. 559 | Gustafsson J. P. 707 |
| Ciolkosz E. J. 365 | Gustavsson N. 85 |
| Clark I. 775 | Hackley K. C. 119 |
| Collett T. S. 607 | Hall G. 27 |
| Comans R. N. J. 159 | Hallberg R. 543 (BR) |
| Connors K. A. 669 | He K. 223 |
| Courjault-Rade P. 447 | He S. 17 |

AUTHOR INDEX (Book Review-BR; Erratum-E)

- | | |
|------------------------------|-------------------------|
| Helios-Rybicka 187 | Marsella K. 1073 |
| Henry C. D. 669 | Meima J. A. 159 |
| Herman J. S. 655 | Mew D. A. 531 |
| Hockert K. 1073 | Michelot J. L. 917 |
| Hodson M. E. 387 | Molinaroli E. 423 |
| Holland E. 1073 | Moore J. C. 53 |
| Holmes J. 277 | Morin G. 1031 |
| Holmström H. 747 | Muller-Sohnius D. 263 |
| Horn P. 263 | Munoz M. 447 |
| Hötzl H. 1001 | Nativ R. 91, 1001 |
| Hudson-Edwards K. A. 1015 | Neal C. 1093 |
| Illdefonse Ph. 1031 | Nelson M. 485 |
| Ingri J. 761 | Niskavaara H. 787 |
| Iyer S. S. 197 | Ödmann F. 301 |
| Jaffé R. 395 | Öhlander B. 747, 761 |
| Jarvie H. 1093 | Owen R. 1093 |
| Jiménez-Espinosa R. 133 | Papenguth H. W. 569 |
| Jin Q. 547 | Paul C. J. 989 |
| Jones R. D. 395 | Peña H. 411 |
| Juillot F. 1031 | Peterman Z. E. 939, 953 |
| Kan A. T. 17 | Pistolato M. 423 |
| Karlton E. 707 | Pitkänen P. 893 |
| Kashulina G. 787 | Pollastri A. 411 |
| Kelly J. W. 569 | Pontér C. 301 |
| Kirby C. S. 511, 1101 (E) | Powell R. M. 989 |
| Knauss K. G. 531 | Price T. D. 271 |
| Koptsik G. 173 | Pulido Bosch A. 735 |
| Koskinen L. 893 | Puls R. W. 989 |
| Kralik M. 807 | Rahm L. 689 |
| Laaksoharju M. 835, 861, 873 | Rampazzo G. 423 |
| Land M. 761 | Ramsey M. H. 187 |
| Langan S. J. 387, 1093 | Reichert B. 1001 |
| Lauriol B. 775 | Reimann C. 27, 787 |
| Leif R. N. 531 | Rhén I. 819 |
| Leino-Forsman H. 893 | Rhoads B. L. 459 |
| Levy D. B. 53 | Rose A. W. 365 |
| Liu C. L. 119 | Ruth T. 301 |
| Löfman J. 893 | Salvador V. L. 197 |
| Lu P. 547 | Sanchez Martos F. 735 |
| Lyons W. B. 147 | Sato I. M. 197 |
| Louvat D. 67, 907, 917 | Schell C. 1015 |
| Macklin M. G. 1015 | Schramke J. A. 53 |
| Makinen J. 85 | Shevenell L. 669 |
| Mantrine J. A. 147 | Siewers U. 27 |
| Marinho M. M. 197 | Skärman C. 861 |

AUTHOR INDEX
(Book Review-BR; Erratum-E)

- Skårman E. 861
Smart R. 1093
Smellie J. 835
Snellman M. 893
Söllner F. 271
Solomon D. K. 1001
Song Y. 621
Soto L. A. 499
Soulsby C. 1093
Southam T. G. 511, 1101 (E)
Stanfors R. 819
Stober I. 223, 237
Strömberg C. 1
Stutter M. 1093
Suzuki 411
Teveldal S. 173
Tezcan L. 1001
Thomas H. M. 511, 1101 (E)
Trahan M. K. 581
Trainor D. 119
Tresonne N. 67
Tollon F. 447
Tomson M. B. 17
Trotignon L. 907
Tuccillo M. E. 655
Tullborg E.-L. 819, 835, 927
Ullrich S. M. 187
Velde B. 559
Venn K. 173
Wade A. 1093
Wallin B. 835, 939, 953
Walrond M. 485
Washington J. W. 365
White C. C. 1093
Wightman P. G. 319
Wikberg P. 817, 819, 835
Wilson M. J. 621
Xiong S. 547